



Vesta 2813

Pneumatic seed drill





Vesta 2813


Pneumatic seed drill

Capacity
7.000 Litres
Only seed version


**Combined
version
up to**
250 Kg/Ha.
Division: 60% Seed / 40% Fertilize



SEED
7.000 Litres



FERTILIZE 2.620 Litres **SEED** 4.380 Litres




Vesta 2813


Seed drill with large load capacity (7000 litres), equipped with universal 3 points hitch (Category II-III) that allows the coupling of different sowing equipment. Wide variety of metering configurations (up to 4 different products), driven by mechanical or electrical transmission. Pneumatic transport system with high flow turbine and hydraulic drive.

The sowing equipments

The main sowing equipment and preferred by the users is the "SM Vesta", which allows to make an optimal sowing adapting to different working conditions, either no till, minimum tillage or conventional sowing. But if you prefer, you can also choose between tine coulters, suffolk coulters, discs, double disc or our new PT coulters. Even our PROSEM precision planter sowing equipment.



Sowing equipment SM of 3 rows at 20cm




Sowing equipment SM of 4 rows at 16,4cm



SM



TINE COULTERS



SUFFOLK COULTERS



PT COULTER



DISC COULTER



DOUBLE DISC



FEATURES		
HITCH	BALL-TYPE LINKAGE K80	
	SLEWING RING	
TRANSMISIÓN	MECHANICAL 1 METERING UNIT	
	MECHANICAL 2 METERING UNITS	
	ELECTRIC 1 METERING UNIT - ISOBUS MÜLLER	
	ELECTRIC 2 METERING UNITS SEED/SEED - ISOBUS MÜLLER	
	ELECTRIC 2 METERING UNITS SEED/ FERTILIZE - ISOBUS MÜLLER	
	HOPPER DIVIDER (ONLY FOR COMBINED SEED/FERTILIZER)	
SOWING EQUIPMENT SM 4 ROWS at 16cm.	1 SEED DISTRIBUTION HEAD	600/37
		700/43
	2 SEED DISTRIBUTION HEADS	600/37
		700/43
		770/47
	1 DISTRIBUTION HEAD SEED/FERTILIZE	600/37
700/43		
SOWING EQUIPMENT SM 3 ROWS at 20cm.	1 DISTRIBUTION HEAD SEED	600/30
		680/34
	2 DISTRIBUTION HEADS SEED	600/30
		680/34
		760/38
	1 DISTRIBUTION HEAD SEED/FERTILIZE	600/30
		680/34
OPTIONAL EQUIPMENT	Track eraser	
	Cogged disc marker 600 3-4 rows SM	
	Cogged disc marker 680 and 700 3-4 rows SM	
	Shock absorber in three point linkage	
	Shut off 1 metering unit only for mechanical	
	Shut off 2 metering units only for mechanical	
	Kit micro Vesta (exterior) mechanical	
	Kit micro Vesta (exterior) electric	
	Extension for Prosem marker hoses	
	Kit rear auxiliar hydraulic socket for turbine Prosem	
	Kit rear auxiliar hydraulic socket	
	Sensor flow control DJ Isobus 43 outputs only for mechanical drills	
	Sowing controller 43 rows VESTA	



MAIN CHARACTERISTICS

- Hopper of 7,000 litres.
- Interchangeable tine coulters with tungsten tip
- Hydraulic turbine
- Double harrow with central control wheel
- Controller with: hectare counter, turbine revs counter, alarm of rotation of de metering unit and level seed sensor of the hopper in mechanical version.
- Equipment of LED lights.
- Kit for seed dose calibration.
- Type of wheels 550/60-22.5